## NETAJI BIRTH PLACE MUSEUM TRUST

JANAKIINATH BHAWAN: ODIA BAZAR: CUTTACK, PIN-753001, ODISHA

Regd. No 16820/324 of 2002-2003

\*\*\*\*

## NOTICE INVITING TENDER

88 /NBMT., Dt. 28/03/2022 No.

The Secretary Netaji Birth Place Museum Trust, Odia Bazar, Cuttack invites Percentage% rate Tender in sealed cover from Empanelled contractor of Superintendent, Odisha State Archaeology, Bhubaneswar. With valid license including valid PAN No. & GST Reg. No. (RGN). The tender document will be received up to 3:00 P.M. on, 05.04.2022 and the same will be opened on the same day at 3:30 P.M. in the presence of intending tender bidders or their authorized representatives.

SI. No	Name of the work	Estimated cost	EMD required	Cost of tender receipt	Place of sale & receipt	Period of completion	Category of Contractor
1	2	3	4	5	6	7	8
1	Renovation of Pond (Interpretation Centre) of Netaji Museum, Odia Bazar, Buxi Bazar, Cuttack	Rs.4,99,906/-	Rs.5000/-	Rs.2240/-	Secretary Netaji Birth Place Museum Trust, Odia Bazar, Cuttack	30 days	D & C

Tender documents will be available in the Office of the Secretary Netaji Birth Place Museum Trust, Odia Bazar, Cuttack during office hour from 28.03.2022 to 05.04.2022 up to 3:00 P.M. The Bidder are required to purchase the tender paper by deposit of the required amount as given in the column -5 of the above Box & DTCN in shape of cash or Demand Draft and submit the same being duly filled along with the earnest money of Rs. 1% of Estimated Cost only i.e. Rs.5000/as applicable in the shape of NSC/ Post office Saving Bank Account/ Post office time deposit Account/ KVP/ any other security deposit by the Contractor/Supplier in favour of Secretary Netaji Birth Place Museum Trust, Odia Bazar, Cuttack. Further the cost of tender paper is nonrefundable & should be submitted separately in shape of cash / demand Draft of any Nationalized Bank obtained in favour of the "Secretary Netaji Birth Place Museum Trust, Odia Bazar, Cuttack along with Contractor's Registration Certificate, PAN, GST Registration No, etc. failing which the tender will be summarily be rejected. The EMD of unsuccessful tender bidders will be returned in due course.

The Technical bid and Financial bid should be submitted up to specified time and date as stated above. The sealed cover should be super scribed with the name of work & date of opening of tender.

The undersigned reserves the right to accept or reject any or all the tenders without assigning any reasons thereof. Any type of information regarding this tender may be obtained from this office on all working days during the period from the date of publication up to 3.00 hours of the last date of receipt of tender. The contractors will have to quote the percentage% rate mentioned in the tender schedule falling which the submitted tender will be rejected.

Cess, Income Tax & Royalty, Security Deposit at prescribed rate will be deducted from the total bill amount at source & GST as per applicability. 23/22

No.\_\_\_\_\_/NBMT., Dt. 78/02/W22 Copy to PS to Hon'ble Minister, Tourism, Odia Language, Literature & Culture (Culture) for kind information.

NBMT, Cuttack

etary NBMT, **Outtack** 

Memo No. 90 /NBMT., Dt. 2000022 Copy to P.S. to Addl. Chief Secretary, Odia Language, Literature & Culture Department for kind information of the Addl. Chief Secretary.

Secretary

NBMT, Cuttack

emo No. <u>91</u>/NBMT., Dt. <u>28</u>09/W22 NBMT, Cuttack Copy forwarded to Director, Odia Language, Literature & Culture for kind Memo No.\_\_\_\_ information.

Secretary NBMT, Cuttack

92 /NBMT., Dt. 28,03/022 Copy to Notice Board/ Archives/ State Museum / State Archaeology / Collectorate Cuttack for information of all concerned.

NBMT, Cuttack

\_/NBMT., Dt. 28)03/2022

Copy to Luminous Infosys with a request to hoist the tender all notice in the Website of Deptt. of Odia Language, Literature & Culture.

NBMT, Cuttack

Memo No.

Memo No.

Memo No. <u>99</u> /NBMT., Dt. <u>98</u> / <u>22</u> Copy to All Empanelld Contractor Superintendent, Odisha State Archaeology, Bhubaneswar.

NBMT, Cuttack

42

Memo No.